

Kódování Computer Modern fontů

Test of cmr10 on November 6, 2013 at 0947

	'0	'1	'2	'3	'4	'5	'6	'7	
'00x	Γ	Δ	Θ	Λ	Ξ	Π	Σ	Υ	"0x
'01x	Φ	Ψ	Ω	ff	fi	fl	ffi	ffl	
'02x	ı	ı	`	´	˘	˙	-	°	"1x
'03x	ı	ß	æ	œ	ø	Æ	Œ	Ø	
'04x	-	!	"	#	\$	%	&	'	"2x
'05x	()	*	+	,	-	.	/	
'06x	0	1	2	3	4	5	6	7	"3x
'07x	8	9	:	;	i	=	ı	?	
'10x	@	A	B	C	D	E	F	G	"4x
'11x	H	I	J	K	L	M	N	O	
'12x	P	Q	R	S	T	U	V	W	"5x
'13x	X	Y	Z	["]	^	.	
'14x	'	a	b	c	d	e	f	g	"6x
'15x	h	i	j	k	l	m	n	o	
'16x	p	q	r	s	t	u	v	w	"7x
'17x	x	y	z	-	—	"	~	..	
	"8	"9	"A	"B	"C	"D	"E	"F	

il2 – kódování CSfontů

Test of csr10 on November 6, 2013 at 0947

	'0	'1	'2	'3	'4	'5	'6	'7	
'00x	Γ	Δ	Θ	Λ	Ξ	Π	Σ	Υ	"0x
'01x	Φ	Ψ	Ω	ff	fi	fl	ffi	ffl	
'02x	ı	ı	`	´	˘	˙	-	°	"1x
'03x	ı	ß	æ	œ	ø	Æ	Œ	Ø	
'04x	-	!	"	#	\$	%	&	'	"2x
'05x	()	*	+	,	-	.	/	
'06x	0	1	2	3	4	5	6	7	"3x
'07x	8	9	:	;	i	=	i	?	
'10x	@	A	B	C	D	E	F	G	"4x
'11x	H	I	J	K	L	M	N	O	
'12x	P	Q	R	S	T	U	V	W	"5x
'13x	X	Y	Z	["]	^	.	
'14x	'	a	b	c	d	e	f	g	"6x
'15x	h	i	j	k	l	m	n	o	
'16x	p	q	r	s	t	u	v	w	"7x
'17x	x	y	z	-	—	"	~	..	
'20x									"8x
'21x						‰			
'22x									"9x
'23x	À				-	˘	«	»	
'24x						Ĺ			"Ax
'25x		Š		Ť			Ž		
'26x						Ĺ			"Bx
'27x	à	š		ť			ž		
'30x	Ř	Á			Ä	Í			"Cx
'31x	Č	É			Ě	Í		Ď	
'32x			Ň	Ó	Ô		Ö		"Dx
'33x	Ř	Ů	Ú		Û	Ý			
'34x	í	á			ä	í			"Ex
'35x	č	é			ě	í		ď	
'36x			ň	ó	ô		ö		"Fx
'37x	ř	ů	ú		û	ý	„	“	
	"8	"9	"A	"B	"C	"D	"E	"F	

x12 – rozšířené kódování il2, užívané místo il2 pro většinu nových fontů v Česku a na Slovensku

Test of cs-qcsr on November 6, 2013 at 0947

	'0	'1	'2	'3	'4	'5	'6	'7	
'00x	Γ	Δ	Θ	Λ	Ξ	Π	Σ	Υ	"0x
'01x	Φ	Ψ	Ω	ff	fi	fl	ffi	ffl	
'02x	ı	Ј	`	˘	˙	˚	-	˚	"1x
'03x	,	ß	æ	œ	ø	Æ	Œ	Ø	
'04x		!	”	#	\$	%	&	,	"2x
'05x	()	*	+	,	-	.	/	
'06x	0	1	2	3	4	5	6	7	"3x
'07x	8	9	:	;	i	=	ı	?	
'10x	@	A	B	C	D	E	F	G	"4x
'11x	H	I	J	K	L	M	N	O	
'12x	P	Q	R	S	T	U	V	W	"5x
'13x	X	Y	Z	[\]	^	.	
'14x	‘	a	b	c	d	e	f	g	"6x
'15x	h	i	j	k	l	m	n	o	
'16x	p	q	r	s	t	u	v	w	"7x
'17x	x	y	z	-	—	”	~	..	
'20x	...	†	‡	•	£	¶	€		"8x
'21x	™	©	®			‰	<	>	
'22x	π					f	◊	f	"9x
'23x	À		,		-	ˆ	«	»	
'24x		Ą		Ł	α	Ł	Ś	§	"Ax
'25x		Š	Ş	Ť	Ž		Ž	Ž	
'26x	◦	ą		ł		ł	ś		"Bx
'27x	à	š	ş	ť	ž	ț	ž	ž	
'30x	Ř	Á	Â	Ă	Ä	Í	Ć	Ç	"Cx
'31x	Č	É	Ê	Ë	Ë	Í	Î	Ď	
'32x	Đ	Ń	Ň	Ó	Ô	Õ	Ö	×	"Dx
'33x	Ř	Ů	Ú	Ú	Ü	Ý	Ť		
'34x	í	á	â	ă	ä	í	ć	ç	"Ex
'35x	č	é	ê	ë	ë	í	î	ď	
'36x	đ	ń	ň	ó	ô	ó	ö	÷	"Fx
'37x	ř	ů	ú	ú	ü	ý	„	“	
	"8	"9	"A	"B	"C	"D	"E	"F	

T1 – kódování dohodnuté v Corku

Test of ec-qcsr on November 6, 2013 at 0947

	'0	'1	'2	'3	'4	'5	'6	'7	
'00x	`	´	^	~	¨	ˆ	˚	ˇ	"0x
'01x	˘	-	·	‚	€	‚	‹	›	
'02x	“	”	„	«	»	–	—		"1x
'03x	o	ı	ı	ff	fi	fl	ffi	ffl	
'04x	□	!	"	#	\$	%	&	'	"2x
'05x	()	*	+	,	-	.	/	
'06x	0	1	2	3	4	5	6	7	"3x
'07x	8	9	:	;	<	=	>	?	
'10x	@	A	B	C	D	E	F	G	"4x
'11x	H	I	J	K	L	M	N	O	
'12x	P	Q	R	S	T	U	V	W	"5x
'13x	X	Y	Z	[\]	^	_	
'14x	‘	a	b	c	d	e	f	g	"6x
'15x	h	i	j	k	l	m	n	o	
'16x	p	q	r	s	t	u	v	w	"7x
'17x	x	y	z	{		}	~	-	
'20x	Ă	Ą	Ć	Č	Ď	Ě	Ę	Ğ	"8x
'21x	Ł	Ł	Ł	Ń	Ň	Ŋ	Ŏ	Ŕ	
'22x	Ř	Ś	Ş	Ş	Ť	Ŧ	Ů	Ű	"9x
'23x	Ÿ	Ž	Ž	Ž	IJ	İ	đ	§	
'24x	ă	ą	ć	č	ď	ě	ę	ğ	"Ax
'25x	í	ł	ł	ń	ň	ŋ	ő	ŕ	
'26x	ř	ś	ş	ş	ť	ŧ	ů	ű	"Bx
'27x	ÿ	ż	ž	ž	ij	i	ı	£	
'30x	À	Á	Â	Ã	Ä	Å	Æ	Ç	"Cx
'31x	È	É	Ê	Ë	Ì	Í	Î	Ï	
'32x	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	Œ	"Dx
'33x	Ø	Ù	Ú	Û	Ü	Ý	Þ	ŠS	
'34x	à	á	â	ã	ä	å	æ	ç	"Ex
'35x	è	é	ê	ë	ì	í	î	ï	
'36x	ð	ñ	ò	ó	ô	õ	ö	œ	"Fx
'37x	ø	ù	ú	û	ü	ý	þ	ß	
	"8	"9	"A	"B	"C	"D	"E	"F	

TS1 – Expertní sada přidaná k základnímu fontu

Test of ts1-qcsr on November 6, 2013 at 0947

	'0	'1	'2	'3	'4	'5	'6	'7	
'00x	`	´	^	~	¨	”	°	ˇ	"0x
'01x	˘	-	·	˙	˚	˛			
'02x			”	—	—	—	—		"1x
'03x	←	→	ˆ	˜	˘	˙	˚		
'04x	ˆ				\$			˙	"2x
'05x			*		,	=	.	/	
'06x	o	1	2	3	4	5	6	7	"3x
'07x	8	9			<	-	>		
'10x									"4x
'11x						∅		○	
'12x		Ø						Ω	"5x
'13x				∥		∥	↑	↓	
'14x	`		*	‰	†				"6x
'15x					℘	∞	♪		
'16x		ø		f					"7x
'17x							~	=	
'20x	˘	˘	”	”	†	‡	∥	‰	"8x
'21x	•	°C	\$	¢	f	©	ℳ	℞	
'22x	®	®	£	®	®	®	®	™	"9x
'23x	‰	¶	®	№	‰	©	°	SM	
'24x	{	}	¢	£	¤	¥	¦	§	"Ax
'25x	¨	©	ª	©	¬	®	®	-	
'26x	°	±	²	³	´	µ	¶	·	"Bx
'27x	*	¹	º	√	¼	½	¾	€	
'32x							×		"Dx
'33x									
'36x							÷		"Fx
'37x									
	"8	"9	"A	"B	"C	"D	"E	"F	

TeX'n'ansi – kódování navržené Y&Y

Test of texnansi-qcsr on November 6, 2013 at 0947

	'0	'1	'2	'3	'4	'5	'6	'7	
'00x		€			/	.	"	˘	"0x
'01x	fl			ff	fi		ffi	ffl	
'02x	ı	J	`	ˆ	˘	˙	-	˚	"1x
'03x	,	ß	æ	œ	ø	Æ	Œ	Ø	
'04x		!	"	#	\$	%	&	'	"2x
'05x	()	*	+	,	-	.	/	
'06x	0	1	2	3	4	5	6	7	"3x
'07x	8	9	:	;	<	=	>	?	
'10x	@	A	B	C	D	E	F	G	"4x
'11x	H	I	J	K	L	M	N	O	
'12x	P	Q	R	S	T	U	V	W	"5x
'13x	X	Y	Z	[\]	^	_	
'14x	‘	a	b	c	d	e	f	g	"6x
'15x	h	i	j	k	l	m	n	o	
'16x	p	q	r	s	t	u	v	w	"7x
'17x	x	y	z	{		}	~	..	
'20x	Ł	'	,	f	„	…	†	‡	"8x
'21x	^	‰	Š	˂	Œ	Ž	^	_	
'22x	ł	‘	’	“	”	•	—	—	"9x
'23x	˜	™	š	›	œ	ž	˜	ÿ	
'24x		ı	¢	£	¤	¥	¦	§	"Ax
'25x	¨	©	ª	«	¬	-	®	-	
'26x	°	±	²	³	´	µ	¶	·	"Bx
'27x	,	ı	º	»	¼	½	¾	¿	
'30x	À	Á	Â	Ã	Ä	Å	Æ	Ç	"Cx
'31x	È	É	Ê	Ë	Ì	Í	Î	Ï	
'32x	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	"Dx
'33x	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß	
'34x	à	á	â	ã	ä	å	æ	ç	"Ex
'35x	è	é	ê	ë	ì	í	î	ï	
'36x	ð	ñ	ò	ó	ô	õ	ö	÷	"Fx
'37x	ø	ù	ú	û	ü	ý	þ	ÿ	
	"8	"9	"A	"B	"C	"D	"E	"F	

RM – Regular math, kódování kopíruje matematické znaky z Computer Modern

Test of rm-qcsr on November 6, 2013 at 0947

	'0	'1	'2	'3	'4	'5	'6	'7	
'00x	Γ	Δ	Θ	Λ	Ξ	Π	Σ	Υ	"0x
'01x	Φ	Ψ	Ω	ff	fi	fl	ffi	ffl	
'02x	ı	ı	˘	˙	˚	˛	-	°	"1x
'03x	,	ß	æ	œ	ø	Æ	Œ	Ø	
'04x	ˆ	!	"	#	\$	%	&	'	"2x
'05x	()	*	+	,	-	.	/	
'06x	0	1	2	3	4	5	6	7	"3x
'07x	8	9	:	;	i	=	ı	?	
'10x	@	A	B	C	D	E	F	G	"4x
'11x	H	I	J	K	L	M	N	O	
'12x	P	Q	R	S	T	U	V	W	"5x
'13x	X	Y	Z	["]	^	.	
'14x	‘	a	b	c	d	e	f	g	"6x
'15x	h	i	j	k	l	m	n	o	
'16x	p	q	r	s	t	u	v	w	"7x
'17x	x	y	z	-	—	"	~	..	
'20x	Ă	Ą	Ć	Č	Ď	Ě	Ę	Ğ	"8x
'21x	Ł	Ł	Ł	Ń	Ň	Ŋ	Ŏ	Ŕ	
'22x	Ř	Ś	Ş	Ş	Ť	Ŧ	Ũ	Ū	"9x
'23x	Ÿ	Ž	Ž	Ž	IJ	İ	đ	§	
'24x	ă	ą	ć	č	ď	ě	ę	ğ	"Ax
'25x	í	ł	ł	ń	ň	ŋ	ó	ŕ	
'26x	ř	ś	ş	ş	ť	ŧ	ű	ű	"Bx
'27x	ÿ	ž	ž	ž	ij	.	"	£	
'30x	À	Á	Â	Ã	Ä	Å	«	Ç	"Cx
'31x	È	É	Ê	Ë	Ì	Í	Î	Ï	
'32x	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	»	"Dx
'33x	‰	Ù	Ú	Û	Ü	Ý	Ɔ	ŠŠ	
'34x	à	á	â	ã	ä	å	-	ç	"Ex
'35x	è	é	ê	ë	ì	í	î	ï	
'36x	ð	ñ	ò	ó	ô	õ	ö	ƒ	"Fx
'37x	ø	ù	ú	û	ü	ý	Ɔ	„	
	"8	"9	"A	"B	"C	"D	"E	"F	

QX – kódování užívané v Polsku sdružením GUST

Test of qx-qcsr on November 6, 2013 at 0947

	'0	'1	'2	'3	'4	'5	'6	'7	
'00x	α	Δ	β	δ	π	Π	Σ	μ	"0x
'01x	...	fk	Ω	ff	fi	fl	ffi	ffl	
'02x	ı	J	`	˘	˘	˘	-	°	"1x
'03x	,	ß	æ	œ	ø	Æ	Œ	Ø	
'04x		!	”	#	\$	%	&	'	"2x
'05x	()	*	+	,	-	.	/	
'06x	0	1	2	3	4	5	6	7	"3x
'07x	8	9	:	;	i	=	¿	?	
'10x	@	A	B	C	D	E	F	G	"4x
'11x	H	I	J	K	L	M	N	O	
'12x	P	Q	R	S	T	U	V	W	"5x
'13x	X	Y	Z	[“]	^	·	
'14x	‘	a	b	c	d	e	f	g	"6x
'15x	h	i	j	k	l	m	n	o	
'16x	p	q	r	s	t	u	v	w	"7x
'17x	x	y	z	-	—	”	~	..	
'20x	€	Ą	Ć	>	≥	≈	Ę	Į	"8x
'21x	<	≤	Ł	Ń	~	^	ł	†	
'22x	‡	Ś	Ş	Ş	°	Ŧ	˙	Ū	"9x
'23x	Ÿ	Ż	Ž	Ž	IJ	{	}	§	
'24x		ą	ć	®	©	÷	ę	į	"Ax
'25x	-	x	ł	ń	±	∞	«	»	
'26x	¶	ś	ş	ş	•	ŧ	—	ų	"Bx
'27x	ÿ	ż	ž	ž	ij	·	"	'	
'30x	À	Á	Â	Ã	Ä	Å	\	Ç	"Cx
'31x	È	É	Ê	Ë	Ì	Í	Î	Ï	
'32x	Đ	Ñ	Ò	Ó	Ô	Õ	Ö	α	"Dx
'33x	‰	Û	Ú	Û	Ü	Ý	Þ		
'34x	à	á	â	ã	ä	å	-	ç	"Ex
'35x	è	é	ê	ë	ì	í	î	ï	
'36x	ð	ñ	ò	ó	ô	õ	ö	ø	"Fx
'37x	ø	ù	ú	û	ü	ý	þ	»	
	"8	"9	"A	"B	"C	"D	"E	"F	

L7X – kódování užívané v Litevsku

Test of l7x-qcsr on November 6, 2013 at 0947

	'0	'1	'2	'3	'4	'5	'6	'7	
'00x	`	´	^	~	¨	ˆ	˚	ˇ	"0x
'01x	˘	-	·	˙	˚	˛	˜	˝	
'02x	“	”	„	«	»	–	—		"1x
'03x	o	ı	ĵ	ff	fi	fl	ffi	ffl	
'04x		!	"	#	\$	%	&	'	"2x
'05x	()	*	+	,	-	.	/	
'06x	0	1	2	3	4	5	6	7	"3x
'07x	8	9	:	;	<	=	>	?	
'10x	@	A	B	C	D	E	F	G	"4x
'11x	H	I	J	K	L	M	N	O	
'12x	P	Q	R	S	T	U	V	W	"5x
'13x	X	Y	Z	[\]	^	_	
'14x	‘	a	b	c	d	e	f	g	"6x
'15x	h	i	j	k	l	m	n	o	
'16x	p	q	r	s	t	u	v	w	"7x
'17x	x	y	z	{		}	~		
'20x	€			f		...	†	‡	"8x
'21x		‰			œ				
'22x						•			"9x
'23x		™			œ				
'24x			¢	£	¤		¦	§	"Ax
'25x	Ø	©	℞		¬	-	®	Æ	
'26x	°	±	²	³		μ	¶	·	"Bx
'27x	ø	¹	ŕ		¼	½	¾	æ	
'30x	Ą	Į	Ā	Ć	Ä	Å	Ę	Ē	"Cx
'31x	Č	É	Ž	È	Ç	Қ	Ī	Ļ	
'32x	Š	Ń	Ņ	Ó	Ô	Õ	Ö	×	"Dx
'33x	Ų	Ł	Ś	Ū	Ü	Ž	Ž	ß	
'34x	ą	į	ā	ć	ä	å	ę	ē	"Ex
'35x	č	é	ž	è	ç	қ	ī	ļ	
'36x	š	ń	ņ	ó	ô	õ	ö	÷	"Fx
'37x	ų	ł	ś	ū	ü	ž	ž		
	"8	"9	"A	"B	"C	"D	"E	"F	

T5 – kódování pro vietnamštinu

Test of t5-qcsr on November 6, 2013 at 0947

	'0	'1	'2	'3	'4	'5	'6	'7	
'00x	`	´	^	~	¨	.	°	ˇ	"0x
'01x	˘	-	·	¸	˙	,	‹	›	
'02x	“	”	„	«	»	–	—		"1x
'03x	o	ı	Ỡ	ỳ	Ỳ	ỵ	Đ	đ	
'04x	□	!	"	#	\$	%	&	'	"2x
'05x	()	*	+	,	-	.	/	
'06x	0	1	2	3	4	5	6	7	"3x
'07x	8	9	:	;	<	=	>	?	
'10x	@	A	B	C	D	E	F	G	"4x
'11x	H	I	J	K	L	M	N	O	
'12x	P	Q	R	S	T	U	V	W	"5x
'13x	X	Y	Z	[\]	^	_	
'14x	‘	a	b	c	d	e	f	g	"6x
'15x	h	i	j	k	l	m	n	o	
'16x	p	q	r	s	t	u	v	w	"7x
'17x	x	y	z	{		}	~	-	
'20x	À	Á	Ã	Ả	Ạ	Â	Ã	Ầ	"8x
'21x	Ẫ	Ằ	Ậ	Ằ	Ằ	Ằ	Ằ	Ằ	
'22x	Ằ	È	É	Ê	Ë	Ě	Ê	È	"9x
'23x	É	Ë	Ê	Ê	Ì	Í	Ī	Ī	
'24x	à	á	ã	ả	ạ	â	ã	ầ	"Ax
'25x	ẫ	ằ	ậ	ằ	ằ	ằ	ằ	ằ	
'26x	ă	è	é	ê	ë	ẹ	ê	è	"Bx
'27x	é	ẽ	ê	ê	ì	í	ī	ī	
'30x	Ị	Ò	Ó	Õ	Ỏ	Ọ	Ô	Ồ	"Cx
'31x	Ỡ	Ỡ	Ỡ	Ỡ	Ỡ	Ỡ	Ỡ	Ỡ	
'32x	Ỡ	Ỡ	Ừ	Ứ	Ữ	Ử	Ự	Ự	"Dx
'33x	Ừ	Ứ	Ữ	Ử	Ự	Ỡ	Ỡ	Ỡ	
'34x	ị	ò	ó	õ	ỏ	ọ	ô	ồ	"Ex
'35x	ỡ	ỡ	ỡ	ỡ	ơ	ờ	ớ	ờ	
'36x	ờ	ợ	ừ	ứ	ữ	ử	ự	ự	"Fx
'37x	ừ	ứ	ữ	ử	ự	ỳ	ý	ỹ	
	"8	"9	"A	"B	"C	"D	"E	"F	

T2A – kódování azbuky

Test of larm1000 on November 6, 2013 at 0947

	'0	'1	'2	'3	'4	'5	'6	'7	
'00x	`	´	^	~	¨	˘	°	˘	"0x
'01x	˘	˘	˘	˘	˘	I	<	>	
'02x	“	”	ˆ	˜	˚	–	—		"1x
'03x	o	ı	j	ff	fi	fl	ffi	ffl	
'04x	˘	!	"	#	\$	%	&	'	"2x
'05x	()	*	+	,	-	.	/	
'06x	0	1	2	3	4	5	6	7	"3x
'07x	8	9	:	;	<	=	>	?	
'10x	@	A	B	C	D	E	F	G	"4x
'11x	H	I	J	K	L	M	N	O	
'12x	P	Q	R	S	T	U	V	W	"5x
'13x	X	Y	Z	[\]	^	_	
'14x	‘	a	b	c	d	e	f	g	"6x
'15x	h	i	j	k	l	m	n	o	
'16x	p	q	r	s	t	u	v	w	"7x
'17x	x	y	z	{		}	~	-	
'20x	Ґ	ƒ	Ѣ	Ѧ	Һ	ЖҀ	Ҁ	Љ	"8x
'21x	İ	Қ	Ҁ	Ҁ	Æ	Ҁ	Ҁ	Ҁ	
'22x	Ө	Ҁ	Ҁ	Ҁ	Ҁ	Ҁ	Ҁ	Ҁ	"9x
'23x	Ҁ	€	Ә	Ҁ	Ё	№	Ɔ	§	
'24x	г	Ҁ	ђ	ћ	h	ж	з	љ	"Ax
'25x	ı	қ	к	к	æ	ң	н	s	
'26x	ө	Ҁ	Ҁ	Ҁ	Ҁ	х	ц	ч	"Bx
'27x	ч	€	ә	њ	ё	„	«	»	
'30x	A	B	B	Г	Д	E	Ж	З	"Cx
'31x	И	Й	К	Л	М	Н	О	П	
'32x	P	C	T	У	Ф	X	Ц	Ч	"Dx
'33x	Ш	Щ	Ъ	Ы	Ь	Э	Ю	Я	
'34x	a	b	v	г	д	e	ж	з	"Ex
'35x	и	й	к	л	м	н	о	п	
'36x	p	c	t	у	ф	x	ц	ч	"Fx
'37x	ш	щ	ъ	ы	ь	э	ю	я	
	"8	"9	"A	"B	"C	"D	"E	"F	

T2B – jiné kódování azbuky

Test of lbrm1000 on November 6, 2013 at 0947

	'0	'1	'2	'3	'4	'5	'6	'7	
'00x	`	´	^	~	¨	˘	°	˙	"0x
'01x	˘	´	·	˙	˚	I	<	>	
'02x	“	”	ˆ	˜	˚	–	—		"1x
'03x	o	ı	j	ff	fi	fl	ffi	ffl	
'04x	˘	!	"	#	\$	%	&	'	"2x
'05x	()	*	+	,	-	.	/	
'06x	0	1	2	3	4	5	6	7	"3x
'07x	8	9	:	;	<	=	>	?	
'10x	@	A	B	C	D	E	F	G	"4x
'11x	H	I	J	K	L	M	N	O	
'12x	P	Q	R	S	T	U	V	W	"5x
'13x	X	Y	Z	[\]	^	_	
'14x	‘	a	b	c	d	e	f	g	"6x
'15x	h	i	j	k	l	m	n	o	
'16x	p	q	r	s	t	u	v	w	"7x
'17x	x	y	z	{		}	~	-	
'20x	Ғ	Ғ	Ғ	Ѓ	Һ	Ж	δ	З	"8x
'21x	Љ	Қ	Д	Ѓ	Ј	Ң	Ң	Ң	
'22x	Ө	С	Ў	У	Х	Х	Х	Ч	"9x
'23x	Ч	Ң	Ә	Е	Ё	№	⊘	§	
'24x	ғ	ғ	ғ	б	Һ	ж	δ	з	"Ax
'25x	љ	қ	д	б	ј	ң	ң	ң	
'26x	ө	с	ў	у	х	х	х	ч	"Bx
'27x	ч	њ	ә	е	ё	„	«	»	
'30x	A	B	B	Г	Д	E	Ж	З	"Cx
'31x	И	Й	К	Л	М	Н	О	П	
'32x	P	C	T	У	Ф	X	Ц	Ч	"Dx
'33x	Ш	Щ	Ъ	Ы	Ь	Э	Ю	Я	
'34x	a	b	v	г	д	e	ж	з	"Ex
'35x	и	й	к	л	м	н	о	п	
'36x	p	c	t	у	ф	x	ц	ч	"Fx
'37x	ш	щ	ъ	ы	ь	э	ю	я	
	"8	"9	"A	"B	"C	"D	"E	"F	

T2C – další kódování azbuky

Test of lcrm1000 on November 6, 2013 at 0947

	'0	'1	'2	'3	'4	'5	'6	'7	
'00x	`	´	^	~	¨	˘	°	˘	"0x
'01x	˘	–	·	˘	˘	I	<	>	
'02x	“	”	ˆ	˜	˘	–	—		"1x
'03x	o	ı	j	ff	fi	fl	ffi	ffl	
'04x	˘	!	"	#	\$	%	&	'	"2x
'05x	()	*	+	,	-	.	/	
'06x	0	1	2	3	4	5	6	7	"3x
'07x	8	9	:	;	<	=	>	?	
'10x	@	A	B	C	D	E	F	G	"4x
'11x	H	I	J	K	L	M	N	O	
'12x	P	Q	R	S	T	U	V	W	"5x
'13x	X	Y	Z	[\]	^	_	
'14x	‘	a	b	c	d	e	f	g	"6x
'15x	h	i	j	k	l	m	n	o	
'16x	p	q	r	s	t	u	v	w	"7x
'17x	x	y	z	{		}	~	-	
'20x	Ѓ	Ќ	Ѓ	Ѓ	h	Ѓ	Ѓ	Ѓ	"8x
'21x	Ѓ	Ѓ	Ѓ	Ѓ	Ѓ	Ѓ	Ѓ	Ѓ	
'22x	Ө	ё	ё	Ђ	Ѓ	Х	Ц	Q	"9x
'23x	Ч	Н	Ә	Ђ	Ё	№	Q	§	
'24x	ц	ц	т	б	h	р	р	з	"Ax
'25x	м	қ	л	к	Ј	ц	м	н	
'26x	ө	е	ё	Ђ	Ѓ	х	ц	Q	"Bx
'27x	ч	н	ә	р	ё	„	«	»	
'30x	А	Б	В	Г	Д	Е	Ж	З	"Cx
'31x	И	Й	К	Л	М	Н	О	П	
'32x	Р	С	Т	У	Ф	Х	Ц	Ч	"Dx
'33x	Ш	Щ	Ъ	Ы	Ь	Э	Ю	Я	
'34x	а	б	в	г	д	е	ж	з	"Ex
'35x	и	й	к	л	м	н	о	п	
'36x	р	с	т	у	ф	х	ц	ч	"Fx
'37x	ш	щ	ъ	ы	ь	э	ю	я	
	"8	"9	"A	"B	"C	"D	"E	"F	